





PATENT Customer No. 22,852 Attorney Docket No. 07883.0033

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:		)
Peter BOEKSTEGERS		) Group Art Unit: 3763
Application No.: 09/845,154		) Examiner: Unknown
Filed:	May 1, 2001	, )
For:	METHODS AND DEVICES FOR DELIVERING A VENTRICULAR STENT	, ) )
	ant Commissioner for Patents ngton, DC 20231	
Sir:		

## **RESPONSE TO NOTICE TO FILE** CORRECTED APPLICATION PAPERS

In response to the Notice to File Corrected Application Papers dated June 27, 2001, Applicant submits thirteen (13) sheets of substitute drawings containing Figures 1-15b. These drawing sheets have appropriate margins in accordance with 37 CFR 1.84(g). Applicant also submits herewith a copy of the Notice of File Corrected Application Papers.

Please grant any extensions of time required to enter this response and charge any additional required fees to our deposit account no. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.


Reg. No. 44,472

Dated: August 24, 2001

189877\_1

FINNEGAN, HENDERSON, FARABOW, GARRETT, & DUNNER, L. L.P. 1300 I STREET, N. W.

WASHINGTON, DC 20005 202-408-4000



COMMISSIONER FOR PATENTS UNITED STATES PATENT AND TRADEMARK OFFICE WASHINGTON, D.C. 2023I www.uspto.gov

FIRST NAMED APPLICANT APPLICATION NUMBER FILING/RECEIPT DATE ATTORNEY DOCKET NUMBER

09/845,154

05/01/2001

Peter Boekstegers

07883.0033

**CONFIRMATION NO. 2668** 

**FORMALITIES LETTER** 

OC000000006230587\*

Finnegan, Henderson, Farabow Garrett & Dunner, L.L.P. 1300 I Street, N.W. Washington, DC 20005-3315

Date Mailed: 06/27/2001

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

## Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice <u>MUST</u> be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE